

2006 8 28

2010 10 1 2015 6 8 2015 11 30




:

:

: Cef i xi ne Granul es

: Toubaokewo Kel i

(6R,7R)-7-[[(Z)-2-(2- -4-)-2-[()]]]
]-3- -8- -5- -1- [4.2.0] -2- -2-



C₁₆H₁₅N₅O₇S₂ · 3H₂O

507.50

()

1.

2.

3.

4.

5.

50mg

30

50 100mg(1 2)

200mg(4)

1.5 3mg/kg()

6mg/kg

(0.87%)

(0.23%)

[GPT

(0.61%)

GOT

(0.45%)

(0.20%)

1.

:

- 1) <0.1%
- 2) (
-) <0.1%
- 3) Stevens- Johnson 0.1%
(Lyel I <0.1%)
- 4) (<0.1%
) (<0.1%) (<0.1%
- 5) (<0.1%
- 6) <0.1%
- 7) (X
) P E (<0.1%)

2. :

	0.1 <5%	<0.1%
	GOT GPT AL- P	
		BUN

4

K

5.

1

Benedi ct

Fehl i ng

Q i ni t est

2

6.

7.

1000ng/ kg

400

6

AUC

26% 20%

60min /

21 60min /

75%

<20min /

		K

1.

PBP

1

1a

1b

1c

3

2.

(1)

(LD₅₀ng/ kg)

(2)

SD 100 320 1,000ng/kg 13 100 200

400ng/kg 5

SD 100 320 1,000ng/kg 53

1000ng/kg

1000ng/kg

3

SD 100 1,000ng/kg

320 3,200ng/kg

3.

1000ng/kg

SD 560ng/kg 2

4.

1.

1) 50 100 900ng 4

0.69 1.13 1.95 g/ml 2.3 2.5

1.5 3.0 6.0ng /kg 3 4

1.14 2.01 3.97 g/ml 3.2 3.7

2) 30 Ccr<60ml/min n=3 10

Ccr<30ml/min n=4 100ng 6

2.04 g/ml 8 2.27 g/ml 12

0.71 g/ml 1.83 g/ml

4.15 11.05

2.

3.

4. 50 100 200ng

(0 12) 20 25% 42.9(4 6) 62.9(4 6)

82.7 g/ml(4 6) 1.5 3.0 6.0ng

/kg (0 12) 13 90%

(20)

6
8
10

24

2015
H10940128



88

510515

(020) 87063679

(020) 87573176

(020) 87061075

[http // www.byszcz.com](http://www.byszcz.com)